

SIRIM QAS International Sdn. Bhd.

(Formerly known as SIRIM QAS Sdn. Bhd.)

No. 1, Persiaran Dato' Menteri, P.O.Box 7035, Seksyen 2, 40911 Shah Alam, Selangor Darul Ehsan.

MALAYSIA Tel: 03-5544 6465

(Company No: 410334 - X)

Fax: 03-5544 6454

http://www.sirim.my

26

TEST REPORT

REPORT NO.: 2011FE0173 PAGE:

1 OF

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd. Please refer overleaf for Conditions Relating to The Use of Test Report

Manufacturer/

: FlexDuR Technology Sdn. Bhd.

Applicant

Lot 178, Jalan Industri 3/6,

Rawang Integrated Industrial Park,

48000 Rawang,

Selangor Darul Ehsan. (Attn.: Mr. Ng Fui Leong)

Product

: Fire Damper

Reference Standard/

: Fire resistance test utilising the test methodology given in

Method of Test BS 476:Part 20:1987

Fire tests on building materials and structures

Methods for determination of the fire resistance of elements of

construction (general principles)

Description of sample: The specimen comprised of a fire damper with overall dimension of 1094 mm (w) \times 1094 mm (h) \times 246 mm (d) and opening dimension of 970 mm (w) \times 970 mm

 $(h) \times 146 \text{ mm } (d) \text{ mounted in a brickwall construction.}$

ERVICES

The fire damper was verified by the Fire Protection Section's Testing Executives

on their dimensions and designs.

Full description of the test construction of the fire dampers is detailed in Page 2

and 3 of this report.

Brand: FlexDur Model: FDMB-S-150

Date of test

: 23rd May 2011

Date received

: 13th April 2011

Job No./ Ref No.

: J20111280101 / SQAS/FPS/15/1-3

Test Result

: Integrity: 250 minutes

Issued date

JUL 2011

KAMARULZAMAN MAT ZIN

Testing Executive

ZAINI AHMAD

Group Leader Fire Protection Section

Testing Services Department

SIRIM QAS International Sdn.Bhd.

26

REPORT NO.: 2011FE0173 PAGE: 21 OF

This report refers only to samples submitted by the client to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.



Photo 1: The exposed face of the test specimens before the test




Photo 2: The unexposed face of the test specimens before the test

REPORT NO.: 2011FE0173

PAGE:

22 OF 26

This report refers only to samples submitted by the client to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.



Photo 3: At about 30 minutes of test




Photo 4: At about 60 minutes of test



REPORT NO.: 2011FE0173

PAGE:

23 OF

26

This report refers only to samples submitted by the client to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.



Photo 5: At about 90 minutes of test



Photo 6: At about 120 minutes of test

REPORT NO.: 2011FE0173

PAGE:

24 OF 26

This report refers only to samples submitted by the client to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.



Photo 7: At about 150 minutes of test




Photo 8: At about 180 minutes of test



REPORT NO.: 2011FE0173

PAGE: 25 OF

26

This report refers only to samples submitted by the client to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.



Photo 9: At about 210 minutes of test



Photo 10: At about 240 minutes of test

07 JUL 2011

REPORT NO.: 2011FE0173 PAGE: 26 OF 26

This report refers only to samples submitted by the client to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd.



Photo 11: At about 250 minutes of test



Photo 12: The exposed face of the test specimen after the test